PTO-1449 U.S. DEPARTMENT OF COMMER PATENT AND TRADEMARK OFFIC		MERCE OFFICE	ACE ATTY. DOCKET NO.		SERIAL NO. 09/631,339				
LIST OF PRIOR ART CITED BY APPECANT		Т	APPLICANT Carl T. Wittwer et al.		REC				
	(NOV 0 2 2000 2			•	FILING DATE August 3, 2000		GROUP O CO		
		Ars.	PADEMARKS U.S	. PATE	NT DOCUMENTS			ED 2005	
EXAMINER INITIALS		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
MA	AA	5,585,242	12/17/96	BOUMA	A ET AL.				
	AB	5,565,322	10/15/96	HELLEI	₹				
	AC	5,563,037	10/08/96	SUTHE	RLAND ET AL.				
	AD	5,455,175	10/03/95	wittw	ER ET AL.				
	AE	5,436,134	07/25/95	HAUGL	AND ET AL.				
- 1	AF	5,425,921	06/20/95	COAKL	EY ET AL.				
	AG	5,415,839	05/16/95	ZAUN F	ET_AL.				
0	АН	5,380,489	01/10/95	SUTTO	N ET AL.				
	Al	5,364,790	11/15/94	ATWO	DD ET AL.				
*	AJ	5,348,853	09/20/94	WANG ET AL.					
	AK	5,346,672	09/13/94	STAPLE	ETON ET AL.				
	AL	5,333,675	08/02/94	MULLIS	S ET AL.				
	AM	5,316,913	05/31/94	витсн	ER ET AL.			i	
	AN	5,240,577	08/31/93	JORGE	NSON ET AL.				
	AO	5,234,586	08/10/93	AFEYA	N ET AL.				
	AP	5,187,084	02/16/93	HALLS	ву				
	AQ	5,173,163	12/22/92	TEHRA	NI			1	
	AR	5,169,521	12/08/92	OKA E	Γ AL.				
	AS	5,169,511	12/08/92	ALLING	GTON ET AL.				
	AT	5,141,621	08/25/92	ZARE E	ET AL.				
	ΑU	5,137,695	08/11/92	RUSNA	K ET AL.				
	AV	5,131,998	07/21/92	JORGE	NSON ET AL.				
	AW	5,116,471	05/26/92	CHIEN	ET AL.				
	AX	5,114,551	05/19/92	HJERTI	EN ET AL.				
1	AY	5,038,852	08/13/91	JOHNS	ON ET AL.				
While	AZ	4,981,801	01/01/91	SUZUK	LET AL.				
EXAMINER WY DATE CONSIDERED 2/9/04									

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

SERIAL NO. 09/631,339 U.S. DEPARTMENT OF COMMERCE ATTY, DOCKET NO. PTO-1449 PATENT AND TRADEMARK OFFICE 7475-66667 APPLICANT LIST OF PRIOR ART CITED BY APPLICA Carl T. Wittwer et al. NOV 0 2 2000 FILING DATE GROUP August 3, 2000 unknown * TRADENIES. PATENT DOCUMENTS **EXAMINER** FILING DATE DOCUMENT IF APPROPRIATE NUMBER CLASS SUBCLASS NAME INITIALS DATE MULLIS ET AL BA4,965,188 10/23/90 COLUMBUS ET AL. 02/20/94 BB4,902,624 GELFAND ET AL. 4,889,818 12/26/89 BCSTAVRIANOPOULOS ET AL. BD 4,868,103 09/19/89 BE 4,865,986 09/12/89 COY ET AL 4,708,782 11/24/87 ANDRESEN ET AL. BF 4,701,415 10/20/87 DUTTON ET AL. BG08/04/87 LEASEBURGE ET AL. вн 4,684,465 ы 4,683,202 07/28/87 MULLIS 07/28/87 ΒJ 4,683,195 MULLIS ET AL. 4,675,300 06/23/87 ZARÉ ET AL. BK BL 4,599,169 07/08/86 RAY MALICK 4,481,405 BM 11/06/84 HALL BN 4,468,423 08/28/94 HOWE BO 4,420,679 12/13/83 ВP 4,286,456 09/01/81 SISTI ET AL. ANDERWALD 09/18/79 BQ 4,168,017 VARANO ET AL BR 4,038,055 07/25/77 RAY ET AL BS 3,616,264 10/26/71 вт 2,379,474 07/03/45 BRAMSON ΒŲ 1,456,005 05/22/23 HARRIS ΒV 1,006,767 10/24/11 MAUGER вw 5,210,015 5/11/93 **GELFAND ET AL** 11/23/65 NATELSON 3,219,416 **EXAMINER** DATE CONSIDERED *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

			PARTMENT OF COMMERCE T AND TRADEMARK OFFICE		ATTY. DOCKET NO. 7475-66667		SERIAL NO. 09/631,339	
LIST	LIST OF PRIOR ART CITED BY APPENDING				APPLICANT Carl T. Wittwer et al. APPLICANT 377 COV			REC
			NOV 0 2 2004	FRICE VE	FILING DATE August 3, 2000		GROUP S	-6 20 -6 20
		_	FOR TORK	GN PA	TENT DOCUMENTS	<u> </u>) (O	
		DOCUMENT	DATE		COUNTRY	CLASS		TRANSLATION YES NO
LAHES	CA	NUMBER 0 640 828 A1	DATE 08/16/94	EPO	·	CLASS	SUBCLASS	1E3 NO
1	СВ	0 488 769 A2	11/29/91	EPO	<u>-</u>			
	СС	0 475 760 A2	09/12/91	EPO				
	CD	0 459 241 AI	05/16/91	EPO				
	CE	0 236 069 A2	02/25/87	EPO				
	CF	0 229 943 A2	01/12/85	EPO				
	CG	0 566 751	10/27/93	EPO				
	СН	0 636 413	2/1/95	EPO				
	CI	0 318 255	5/31/89	EPO				
	CJ	0 674 009	9/27/95	EPO				
-8-	CK	0 404 258	12/27/90	EPO		,		
	CL	0 686 699	12/13/95	EPO				
	СМ	0 643 140	3/15/95	EPO				
	CN	3 808 942 A1	09/28/89	DE		own part of the control of the contr		
	со	6 212 986	03/23/87	JP (Absti	ract)			
	CP	2 122 187	8/25/72	FR				
	CQ	WO 95 13399	5/18/95	PCT				
	CR	WO 95 21382	8/1 0/ 95	PCT				
	CS	WO 96 06354	2/29/96	PCT				
	СТ	WO 96 00901	1/11/96	PCT				
	CU	WO 95 32306	11/30/95	PCT				1
. /	CV	WO 95 30139	11/09/95	PCT				
Y	CW	WO 92 20778	11/26/92	PCT	v			
Wes	СХ	WO 89 09437	10/05/89	PCT				
						·		0
EXAMINER	EXAMINER W DATE CONSIDERED 2/9/09							
	*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

PTO-144	19	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 7475-66667	SERIAL NO. 09/631,339—	
LIST C	F PRIO	RARY CITED BY APPLICANT	APPLICANT Carl T. Wittwer et al.	RECEIVEI NOV -6 200 3700 MAIL GROUP unknown	
	1	NOV 0 2 2000	FILING DATE August 3, 2000	GROUP ALL 2003 DOM	
		OTHER PRIOR ART (Including	ng Author, Title, Pertinent Pages, Et	c) Z	
WyO	DA	Barnes, W.M., "PCR Amplification of up- Proc. Natl. Acad. Sci. USA, Vol. 91, pp. 2	to 35-kb DNA with High Fidelity and High Y 216-2220 (1994).	ield from λ Bacteriophage Templates,"	
	DB		cation For Construction of Competitive Temp ic Press, Wymondham, U.K., Chap. 4 (1997)	lates," Genetic Engineering with PCR,	
	DC	Cao, T.M., "A Simple and Inexpensive Sys	stem to Amplify DNA by PCR," <u>BioTechniqu</u>	es, Vol. 7, No. 6, pp. 566-67 (1989).	
	DE	Cardullo, R.A., et al., "Detection of Nucle Proc. Natl. Acad. Sci. USA, Vol. 85, pp. 8	ic Acid Hybridization by Nonradiative Fluore: 790-94 (1988).	scence Resonance Energy Transfer,"	
	DF	Cotton, R. G. H, "Detection of Single Base 1, 1989.	e Changes in Nucleic Acids", The Biochemica	al Journal, Vol. 263, pp. 1-10, October	
	DG	Denton, P., et al., "A Low-Cost Air-Driver M.A. Innis, et al., Academic Press, Inc., Sa	n Cycling Oven," <u>PCR Protocols: Λ Guide to I</u> an Diego, Chap. 52, pp. 435-41 (1990).	Methods and Applications, Edited by	
	DН	Findlay, J.B., et al., "Automated Closed-V Chemistry, Vol. 39, No. 9, pp. 1927-33 (1)	essel System for in Vitro Diagnostics Based o 993)	n Polymerase Chain Reaction," <u>Clinical</u>	
	DI Ghosh, S.S., et al., "Real Time Kinetics of Reduction Endonuclease Cleavage Monitored by Fluorescence Resonance Transfer," Nucleic Acids Research, Vol. 22, No. 15, pp. 3155-59 (1994).				
	DJ Goldner, H., "PCR update: New Techniques Multiply Uses," R&D Magazine, Vol. 36, No. 4, pp. 55 (March 1994).				
	DK	Graham, A., "A Haystack of Needles: App September 1994).	lying the Polymerase Chain Reaction," <u>Chem</u>	istry and Industry, No. 18, pp. 718 (19	
	DL	Gustafson, C.E., et al., "Effect of Heat Der (1993).	naturation of Target DNA on the PCR Amphi	fication," <u>Gene</u> , Vol. 123, pp. 241-44	
	DM	Higuchi, R., et al., "Simultaneous Amplifi 413-17 (1992).	cation and Detection of Specific DNA Sequen	ccs," <u>Bio/Technology</u> , Vol. 10, pp.	
	DN	Higuchi, R., et al., "Kinetic PCR Analysis: pp. 1026-30 (1993).	Real-time Monitoring of DNA Amplification	Reactions," <u>Bio/Technology</u> , Vol. 11,	
	DO	Hillen, W., et al., "High Resolution Experi Restriction Fragments Containing the Esch Vol. 256, No. 6, pp. 2761-2766 (1981).	mental and Theoretical Thermal Denaturation therichia coli Lactose Genetic Control Region,	Studies on Small Overlapping "The Journal of Biological Chemistry,	
*	DP	Hiyoshi, M., et al., "Assay of DNA Denatu Transfer," Analytical Biochemistry, Vol. 2	uration by Polymerase Chain Reaction-Driven 21, pp. 306-11 (1994).	Fluorescence Resonance Energy	
	DQ	Hoffman, L.M., et al., "Use of a Gas Chron BioTechniques, Vol. 6, No. 10, pp. 932-36	matograph Oven for DNA Amplification by the (1988).	ne Polymerase Chain Reaction,"	
	DR	Holland, P.M., et al., "Detection of Specifiof Thermus Aquaticus DNA Polymerase,"	ic Polymerase Chain Reaction Product by Util Proc. Natl. Acad. Sci. USA, Vol. 88, pp. 7276	izing the 5' - 3' Exonuclease Activity 5-80 (1991).	
Was	DS	Hopfenbeck, J.A., et al., "Digoxigenin-Lat American Journal of Clinical Pathology, V	oeled Probes Amplified from Genomic DNA E ol. 97, No. 5, pp. 638-44 (1992).	Detect T-Cell Gene Rearrangements,"	
EXAMINER	W.	A	DATE CONSIDERED 2/9	104	
		eference considered, whether or not citation is in eq py of this form with next communication to applic		ch citation if not in conformance and	

PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 7475-66667	SERIAL NOT 09/631,339 \(\tilde{2} \)					
LIST (OF PRIC	OR ART CITED BY APPLICANT	APPLICANT Carl T. Wittwer et al.	CEIV V -6 DO MAI					
		NOV 0 2 2000	FILING DATE August 3, 2000	GROUP ROUGH					
	OTHER PRIOR ART (Including Author, Title, Pertinent Pages, Etc.)								
Chil									
Will	DY	of a Fluorescent Intercalater," Analytical B		ymerase Chain Reaction in the Presence					
	DZ	Kang, J., et al., "Exact Quantification of D Chap 15, pp. 189-98 (1995).	NA-RNA Copy Numbers by PCR-TGGE," <u>P</u>	CR Strategies, Academic Press, Inc.,					
	EA		or Sequence on the Stability of Base Pair Min," Nucleic Acids Research, Vol. 21, No. 22, p						
	ЕВ	Lee, L.G., et al., "Allelic Discrimination by No. 16, pp. 3761-66 (1993).	y Nick-Translation PCR with Fluorogenic Pro	bbes," Nucleic Acids Research, Vol. 21,					
	EC	Linz, U., "Thermocycler Temperature Vari	ation Invalidates PCR Results," Biotechnique	es, Vol. 9, No. 3, pp. 286-90 (1990).					
	ED	Livak, K.J., et al., "Oligonucleotides with Detecting PCR Product and Nucleic Acid	Fluorescent Dyes at Opposite Ends Provide a Quenched Probe System Useful for Hybridization," PCR Methods and Applications, Vol. 4, pp. 357-62 (1995).						
	EE	Livak, K.J., "Quantitation of DNA/RNA U	Ising Real-Time PCR Detection," Perkin-Elm	er Applied Biosystems Report (1996).					
	EF Morrison, L.E., "Detection of Energy Transfer and Fluorescence Quenching," Nonisotopic DNA Probe Techniques, Ed Larry J. Kricka, Academic Press, Inc., San Diego, Chap. 13, pp. 311-52 (1992).								
	EG Morrison, L.E., et al., "Sensitive Fluorescence-Based Thermodynamic and Kinetic Measurements of DNA Hybridization Solution," Biochemistry, Vol. 32, pp. 3095-3104 (1993).								
	EH Nilsson, P., et al., "Real-Time Monitoring of DNA Manipulations Using Biosensor Technology," <u>Analytic Biochemistry</u> , V 224, pp. 400-408 (1995).								
	El Oste, C.C., "PCR Instrumentation: Where Do We Stand?," The Polymerase Chain Reaction, Edited by Mullis, et al., Birkhauser, Boston, Chap. 14 (1994).								
	EJ	Perry, R.H., et al., "Heat Transmission by York, Chap. 10, pp. 48-56 (????).	Radiation," <u>Chemical Engineers' Handbook,</u> :	5th ed., McGraw Hill Book Co., New					
	EK	Ririe, K.M., et al., "Product Differentiation Analytical Biochemistry, Vol. 254, pp. 154	n by Analysis of DNA Melting Curves during 4-160 (1997).	the Polymerase Chain Reaction,"					
	EL	Segal, G.H., et al., "Identification of Mono American Journal of Pathology, Vol. 141,"	cional B-cell Populations by Rapid Cycle Pol No. 6, pp. 1291-97 (1992).	lymerase Chain Reaction," <u>The</u>					
	ЕМ	Service, R.E., "The Incredible Shrinking L Vol. 268, No. 5207, pp. 26 (7 April 1995).	aboratory: Microchips Allow Miniaturization	of Analytical Laboratories," <u>Science</u> ,					
	EN		Stimpson, D.I., "Real-time Detection of DNA Hybridization and Melting on Oligonucleotide Arrays by Using Optical Wave Guides," Proc. Natl. Acad. Sci. USA, Vol. 92, pp. 6379-83 (1995).						
V	EO	Swerdlow, H., et al., "Fully Automated DN pp. 848-855 (1997).	A Reaction and Analysis in a Fluidic Capilla	ry Instrument," <u>Anal. Chem.</u> , Vol. 69,					
MIC	EP	Tombler, E.R., et al., "Spectrofluorometric BioTechniques, Vol. 15, No. 6, pp.1060-6	Assay for Hybridization of Oligodeoxynucle 4 (1993).	otides Using Ethidium Dimer,"					
EXAMINER	W	1	DATE CONSIDERED 2	7/04					
	*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								

			<u> </u>	
PTO-14	149	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 7475-66667	SERIAL NO., 09/631,339
LIST	OF PRIOR	ART CITED BY APPLICANT	APPLICANT Carl T. Wittwer et al,	ECEN 10V -6 100 K
		Nov 0 2 2000	FILING DATE August 3, 2000	GROUP IL 2000 ED unknown RO
•		OTHER PRIOR ART (Including	ng Author, Title, Pertinent Pa	
Wish	EQ	Tyagi, S., et al., "Molecular Beacons: Prot (1996).	es that Fluoresce upon Hybridization,	" Nature Biotechnology, Vol. 14, pp. 303-08
_^	ER	Weis, J.H., et al., "Detection of Rare mRN	As via Quantitative RT-PCR," Trends	s in Genetics, Vol. 8, No. 8, pp. 263-64 (1992).
	ES	Wilding, et al., "PCR in Silicon Microstru	cture," Clinical Chemistry, Vol. 40, N	o. 9, pp. 1815-18, (1994).
	ET	Willard, H.H., et al., "Gas Chromatograph CA, Chap. 16, pp. 454 (????).	y," <u>Instrumental Methods of Analysis</u>	6th cd., Wadsworth Publishing Co., Belmont,
	EU	Wittwer, C.T., et al., "Minimizing the Tim Analytical Biochemistry, Vol. 186, pp. 323		Efficient Heat Transfer to Small Samples,"
	EV	Wittwer, C.T., et al., "Automated Polymers 17, No. 11, pp. 4353-4357 (1989).	ase Chain Reaction in Capillary Tube	s with Hot Air," Nucleic Acids Research, Vol.
	EW	Wittwer, C.T., et al., "Rapid Cycle DNA A pp. 76-83 (1991).	implification: Time and Temperature	Optimization," BioTechniques, Vol. 10, No. 1,
	EX	Wittwer, C.T., et al., "Rapid Cycle Allele-S Chemistry, Vol. 39, No. 5, pp. 804-809 (19		he Cystic Fibrosis ΔF ₅₀₈ Locus," <u>Clinical</u>
	EY	Wittwer, C.T., et al., "Rapid Cycle DNA A Boston, Chap. 15 (1994).	mplification," The Polymerase Chain	Reaction, Edited by: Mullis, et al., Birkhauser,
	EZ	Wittwer, C.T., et al., "Continuous Fluoress 130-138 (1997).	cence Monitoring of Rapid Cycle DN	A Amplification," <u>BioTechniques</u> , Vol. 22, pp.
	FA	Wittwer, C.T., et al., "The LightCycler: A BioTechniques, Vol. 22, pp. 176-181 (199		er with Rapid Temperature Control,"
	FB	Wittwer, C.T., et al., "Fluorescence Monito F., Birkhauser, Boston (1998).	oring of Rapid Cycle PCR For Quantit	fication," Gene Quantification, Edited by: Ferre,
	FC	Yguerabide, J., et al., "Quantitative Fluores Fluorescent Intercalator," Analytical Bioch		rement of DNA Hybridization Kinetics Using a
	FD	Biotherm Corporation Advertisement, Biot	Oven (1991).	
	FE	Ericomp Advertisement, Twinblock System	n (1991).	
	FF	Techne Advertisement, PHC-1 Dri-Block	(1988).	
-d/-	FG	Hybaid Advertisement, Hybaid Heating an	d Cooling Block (1988).	
V	FH	Eppendorf Advertisement, Eppendorf Micr	oCycler (1988).	
Wes_	Fl	COY Advertisement, Tempcycler Model 50) Microtube Incubator (1991)	
EXAMINER	W	A	DATE CONSIDERED	2/9/04
		erence considered, whether or not citation is in co	•	e through citation if not in conformance and

PTO-144	19	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 7475-66667	SERIAL NO. 09/631,339				
LIST O	of PRI	OR ART CITED BOAPPLACANT	APPLICANT Carl T. Wittwer et al.	REC 104				
		Nov o z 2000 3	FILING DATE August 3, 2000	GROUP MAIL 20				
		OTHER PRIOR ART (Including	ng Author, Title, Pertinent Pages, E	R00M				
arx.	FJ	Idaho Technology Advertisement and Spe	cification Sheets for 1605 Product (1991).					
7	FK	Perkin-Elmer Advertisement, ABI Prism 7	700 Sequence Detection System (1991).					
	FL	Clark, et al., "Cassettes Simplify Small-sa	mple Dialysis," R&D Magazine, p.31, Septen	nber 1995.				
	FМ	"Let the Microchip Fall Where Diagnostic (1994).	"Let the Microchip Fall Where Diagnostics Lies: Implications: A Diagnostic Revolution?," Genesis Report-Dx, Vol. 4, No. 3 (1994).					
	FN	"Let the Microchip Fall Where Diagnostic (1994).	"Let the Microchip Fall Where Diagnostics Lies: Implications: Affymetrix: DNA on a Chip," Genesis Report-Dx, Vol. 4, No. 3 (1994).					
-	FO	"PCR Detection Blows Cover on Lyme Di	"PCR Detection Blows Cover on Lyme Disease, Q Fever," Biotechnology Newswatch, Vol. 10, No. 1 (Jan. 1, 1990).					
	FP	Schoffner et al., "Chip PCR. 1. Surface pas Vol. 24, No. 2, pp. 375-379, 1996.	ssivation of microfabricated silicon-glass chip	os or PCR", <u>Nucleic Acids Research</u> ,				
1	FQ	Cheng et al., "Chip PCR. II. Investigation Nucleic Acids Research, Vol. 24, No. 2, p	of different PCR amplification systems in mi p. 380-385, 1996.	crofabricated silicon-glass chips",				
	FR	Operation manual for HP-5880A Gas Chro	omatograph					
Was	FS	Operation manual for the MIC 6000						
)								
·								
EXAMINER	L	" M	DATE CONSIDERED	19/24				
	*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

PTO-1449		U.S. DEPARTMENT OF C		ATTY. DOCKET NO. 7475-66667		SERIAL NO. 09/631,339		
LIST	LIST OF PRIOR ART CITED BY APPLICANTO			APPLICANT Carl T. Wittwer et al.				
		NOV E	0 2 2000	FILING DATE August 3, 2000 GROUP unknown				
		(A)	HOSPATEN	T DOCUMENTS				
*Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate	
WAS	GA	3,556,659	Jan. 19, 1971	R.C. Hawes				
MAR	GB	4,908,112	Mar. 13, 1990	Pace				
NOT	GC	5,599,504	Feb. 4, 1997	Hosoi et al.				
	GD							
	GE			4.				
	GF							
	GG							
	GH	4						
	Gl							
	GJ							
	GK							
			FOREIGN PAT	TENT DOCUMENTS				
		Document Number	Date	Country	Class	Subclass	Translation	
							Yes N	
WES	GL	0 171 140 A2	Feb. 12, 1986	EPO				
	GM	0 211 334 A1	Feb. 25, 1987	EPO				
	GN	0 519 623 A2 .	Dec. 23, 1992	EPO				
	GO	0 580 362 A1	Jan. 26 1994	EPO				
<u> </u>	GP	528259	Apr. 21, 1983	Australia				
WAB	GQ	WO 95/21266	Aug. 10, 1995	PCT				
		OTHER REF	ERENCES (Includi	ng Author, Title, Date, Pertinent Pages, Etc.)			
						-7 C		
	GR							
	GS					3700 M	RECE	
	GT					-6 200 MAIL I	TIVE.	
	ř			101	211	700M	0	
EXAMINER /	1	M		DATE CONSIDERED	1			
*Examiner: In considered, Inc	itial if ref clude con	ference considered, whether or no by of this form with next commun	ot citation is in conformation of the citation to applicant.	mance with MPEP 609; Draw line through c	itation if not	in conformanc	e and not	